

Table of Contents

SECTION		PAGE
GENERAL CLASSROOMS	RDS 1	1
VISUAL AND PERFORMING ARTS	RDS 2	4
MEDIA ARTS AND CTE CLASSROOMS	RDS 3	14
SCIENCE CLASSROOMS	RDS 4	23
LIBRARY	RDS 5	31
ADMINISTRATION	RDS 6	36
WELLNESS AND COUNSELING	RDS 7	41
PHYSICAL EDUCATION FACILITIES	RDS 8	50
RESTROOMS	RDS 9	55

▪ **Architectural Fit and Finish:**

- Floors: Floor finishes in existing student restrooms to remain if feasible. New student restrooms to have epoxy flooring. Install epoxy or other resilient flooring in staff restrooms. Coordinate with standard color palette for each school. Review second-story tile flooring details carefully for waterproofing issues.
- Walls: Wall finishes in existing restrooms to remain if feasible. New restrooms to have ceramic tile to approximately 7'-2" H (align with top of door frames). Painted gypsum board above. Coordinate with standard color palette for each school.
- Ceiling: Painted gypsum board ceilings, typical through out.
- Doors and Frames: painted.

Specialties:

- Restroom accessories: See PAUSD Technical Standards for accessories to be provided.
 - Toilet partitions: See PAUSD Technical Standards for type and materials of partitions. Take special care to ensure privacy is maintained.
 - Mirrors: Provide (1) mirror in all single occupancy restrooms. Provide (1) mirror for each lavatory in multiple occupant staff restrooms.
-

Mechanical:

- Heating: Provide for staff restrooms only.
- Air Conditioning: Air conditioning will not be provided in student or staff restrooms.
- Exhaust Fans: Provide adequate exhaust capability as needed to meet air change requirements.

Plumbing:

- Hot water: Provide hot water at staff and nurse's station restrooms only.
- Hose bibs: Provide (1) hose bib at all multiple occupant restrooms.
- Floor drains: Provide (1) floor drain at all multiple occupant restrooms. Slope floors to drain where feasible.
- See PAUSD Technical Standards for specific toilet, urinal, and lavatory fixtures.

Lighting:

- Lighting Level: Per code
 - Light Type: LED
 - Title 24 Energy: Motion sensor to turn on/off lights. Ceiling mounted in boys/girls' rooms; wall mounted in staff.
-